



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

large white-oak, and I could plainly see that it was occupied. Shying a club up into the tree, a Red-tail left the nest. Quickly making the ascent, I found the nest occupied by three very handsomely marked eggs of this species. The nest apparently being an old one repaired, and lined with bits of moss and grape-vine bark. These eggs presented a very different appearance from those that I had diagnosed as Swainson's.

I might add that the nest occupied by the *Bubos* was, in my judgment, an old Crow's nest. I found no other nests of particular interest in these woods at this time ; but subsequently found another nest of the Red-tail from which I obtained two eggs.

I found many Crows' nests in different stages of completion ; but not caring much for their eggs, I did not wish to spend time climbing to them, except in one instance, when my attention was attracted by the peculiar material in one nest, which presented much the appearance of a large ball of tow. Prompted by curiosity, I went up to it and found it constructed almost entirely of the fibres of the Indian hemp, which grew profusely near by at the edge of the prairie. The nest contained four fresh eggs which I took.

I now started to return home, having eggs enough to fill both mittens. I found that I had been absent from town two and one-half hours ; distance traveled not less than eight miles ; one professional visit made ; four trees climbed ; sets secured, Swainson's 1-3 ; Red-tail, 1-3 ; Great Horned Owl, 1-2, and American Crow, 1-4. How is that for rapid collecting?

[B. S. O.]

A PECULIAR NESTING SITE.

While digging a gas-well in this city, the workmen broke some part of the machinery and had to quit work for a few days. During that time, a pair of Bluebirds built a nest and laid two eggs in the sand pump. After the nest was removed and work commenced again, the birds remained on the derrick for nearly two days.

JAS. S. ZOLLER, Greensburg, Ind.

[B. S. O.]